



202/212 - Combination Card (iCLASS/Prox) Ordering Guide

The iCLASS Prox contactless smart card offers read/write and proximity (HID Prox, Indala, HITAG1 or 2) capability in a single card. Add new applications while leveraging your investment in existing access control systems. Personalize the card with a photo ID, magnetic stripe, barcode, or anti-counterfeiting element.

Ensure each required option has been checked with the appropriate choice to fulfill a completed order form.

Base Model **202 Standard PVC** **212 Composite 40% Polyester / PVC***

* HITAG based cards are not available with composite or as embeddable cards. Those cards are only available with iCLASS 32k memory size.

iCLASS Memory Size and Allocation (Check One)⁶

- 0** - 2k Bits (256 Bytes) with 2 Application Areas
- 1** - 16k Bits (2k Bytes) with 2 Application Areas
- 2** - 16k Bits (2k Bytes) with 16 Application Areas
- 3** - 32k Bits (4K Bytes) Application areas 16k/2+16k/1
- 4** - 32k Bits (4K Bytes) Application areas 16k/16+16k/1

iCLASS Programming (Check One)

- B** - Both iCLASS and Prox Technology programmed. Specify Programming Information
- P** - iCLASS Programmed, Prox technology blank. Specify Programming Information
- C** - iCLASS configured field programmable, Prox technology blank. Specify Programming information.
- A** - iCLASS configured field programmable, Prox technology programmed. Specify Programming Information.
- K** - iCLASS Programmed, HITAG1 blank. Specify Programming Information.
- M** - iCLASS Programmed, HITAG2 blank. Specify Programming Information.
- R** - iCLASS configured field programmable, HITAG1 blank.
- I** - iCLASS configured field programmable, HITAG2 blank.

Front Packaging (Check One)

- G** - Plain White with Gloss Finish
- C** - Custom Artwork with Gloss Finish – Specify Custom Artwork Number¹

Back Packaging (Check One)

- G** - Plain White with Gloss Finish²
- C** - Custom Artwork with Gloss Finish – Specify Custom Artwork Number¹
- 1** - Plain White with Gloss Finish with Magnetic Stripe²
- 3** - Custom Artwork with Gloss Finish with Magnetic Stripe - Specify Custom Artwork Number¹
- D** - Glossy White with Debitek Mag Stripe

iCLASS Card Numbering³ (Check One)

- M** - Sequential Matching Internal/External (Inkjetted)
- N** - No External Card Numbering
- S** - Sequential Internal/Sequential Non-Matching External (Inkjetted)
- R** - Random Internal/Non-Matching Sequential External (Inkjetted)
- A** - Sequential Matching Internal/External (Laser Engraved)⁴
- B** - Sequential Internal/Sequential Non-Matching External (Laser Engraved)⁴
- C** - Random Internal/Non-Matching Sequential External (Laser Engraved)⁴

Slot Punch⁵ (Check One)

- H** - Horizontal slot punch⁷
- V** - Vertical Slot Punch
- N** - No Slot Punch (This card can be slotted vertically, printed location of Vertical and Horizontal slot punch will remain)
- C** - No Slot Punch - Horizontal Slottable Punch compatible (Printed location of Vertical and Horizontal slot punch will remain)⁷

125 kHz Card Numbering³ (Check One)

- M** - Sequential Matching Internal/External (Inkjetted)
- N** - No External Card Numbering
- S** - Sequential Internal/Sequential Non-Matching External (Inkjetted)
- R** - Random Internal/Non-Matching Sequential External (Inkjetted)
- A** - Sequential Matching Internal/External (Laser Engraved)⁴
- B** - Sequential Internal/Sequential Non-Matching External (Laser Engraved)⁴
- C** - Random Internal/Non-Matching Sequential External (Laser Engraved)⁴

Option - Custom Artwork¹

- _____ (Specify Artwork Number – Refer to the Custom Artwork Forms for new artwork)

Enter your final card options from the above selections. Example: 2022BGGNNM

Final Part Number												-	(Options #)
-------------------	--	--	--	--	--	--	--	--	--	--	--	---	-------------




iCLASS Programming Information

125 kHz Programming Information

Bit Numbers _____ (example: 26 bit)
 Format Number _____ (example: H10301)
 Facility Code _____
 iCLASS Elite ICE Number (if applicable) - _____
 (Custom Formats) Site Code _____, City Code _____
 OEM Code _____
 Internal Card No. Start _____, Stop _____
 External Card No. Start _____, Stop _____
 PIN: Sequential: Start # _____ Random: Length _____

Bit Numbers _____ (example: 26 bit)
 Format Number _____ (example: H10301)
 Facility Code _____
 (Custom Formats) Site Code _____, City Code _____
 OEM Code _____
 Internal Card No. Start _____, Stop _____
 External Card No. Start _____, Stop _____
 Special Instructions: _____

¹ For new artwork files, contact Customer Service for custom artwork number, lead-times, and cost.
² Cards ordered with plain white front and back packaging, or custom artwork, will still have a small HID logo  and reference number printed in the lower left-hand corner and a slot punch target printed on the back of the card.
³ The external card number is placed in the bottom right-hand corner for iCLASS 13.56 MHz and in the bottom center for 125 kHz Proximity on the back of the card.
⁴ For Laser Engraved external numbers, consult factory for lead times and cost.
⁵ Cards are provided with an optional slot punch at no additional charge.
⁶ HITAG combination cards are only available with iCLASS 32k Bits. Some video imaging printers cannot accommodate pre-slot punched cards.
⁷ H slot punch option is not yet supported on iCLASS 16k or 32k memory options.
⁸ The composite construction is recommended for all cards with over-laminate applied. Consult with the printer manufacturer prior to ordering.